

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 September 2003 (18.09.2003)

PCT

(10) International Publication Number
WO 03/075657 A1

(51) International Patent Classification⁷: **A01N 25/04**

(21) International Application Number: PCT/IL03/00222

(22) International Filing Date: 13 March 2003 (13.03.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
148684 14 March 2002 (14.03.2002) IL

(71) Applicant (for all designated States except US): **MAKHT-ESHIM CHEMICAL WORKS LTD.** [IL/IL]; Intellectual Property Department, 9 Omarim St., P.O.Box 1646, 84965 Omer (IL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SASSON, Yoel** [IL/IL]; 30 Palmach Street, 92542 Jerusalem (IL). **TOLEDANO, Ofer** [IL/IL]; 9 Nachlieli, Ganei Hasharon, 44246 Kfar Saba (IL). **LEVI-RUSO, Ganit** [IL/IL]; Rodensky 95, 84641 Beer Sheva (IL).

(74) Agents: **MUSHKIN, Noam** et al.; Intellectual Property Department, 9 Omarim St., P.O.Box 1646, 84965 Omer (IL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to the identity of the inventor (Rule 4.17(i)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,

LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European

[Continued on next page]

(54) Title: PESTICIDAL COMPOSITION COMPRISING A LACTATE ESTER AS CRYSTAL GROWTH INHIBITOR

(57) Abstract: The present invention is a method of preventing crystallization of pesticidal compositions during application by adding a lactate ester as a crystallization preventing agent.



patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European

patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations
- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PESTICIDAL COMPOSITION COMPRISING A LACTATE ESTER AS CRYSTAL GROWTH INHIBITOR

Field of the Invention

The present invention relates to the field of pesticidal compositions, particularly to the
5 use of lactate acid esters as a crystal growth inhibitor in said compositions.

Background of the Invention

Perhaps the most prevalent practice for applying pesticides to plants is by spraying a
liquid composition onto the plant. Some technical difficulties are associated with this
10 practice when predominantly aqueous compositions of pesticides which are essentially
water insoluble, are employed. In such cases, often certain parts of the spraying
equipment, e.g. filters and nozzles, are clogged as a result of crystal growth of the water-
insoluble pesticide in said parts. A particular method for overcoming this problem is by
inhibiting or preventing the crystal growth of the pesticide in the sprayer parts by
15 employing a crystal growth inhibitor in the pesticidal composition. U.S. 5,206,225
describes the employment of alkylcarboxylic acid dimethylamides as crystallization
inhibitors of azole fungicides. EP 637,202 describes a liquid pesticidal composition
containing as crystallization inhibitor benzene which contains two or three hydroxy
groups and substituted by one or more lower alkyl groups. Notwithstanding, the prior art
20 crystallization inhibitors are organic substances which are essentially insoluble in an
aqueous medium. Hence, it is necessary to employ an organic co-solvent in which the
pesticide and crystal growth inhibitor are soluble. This may present difficulties in terms of
environmental safety and phytotoxicity. The current practice in pest control is to reduce
the use of organic solvents.

25

WO 00/35284 describes an aqueous suspension concentrate of triazole fungicides which
contains a tristerylphenol-ethoxylate, phosphate or sulfate thereof, with a vinylpyrrolidon
polymer or copolymer thereof, as a crystal growth inhibitor. However, in order to inhibit
crystal growth according to WO 00/35284 it is necessary to employ a mixture of
30 crystallization inhibitors; at least a binary mixture thereof.

Furthermore, the crystal growth inhibitors disclosed in the prior publications do not offer a solution for all needs, practices and conditions employed in agriculture. The crystal growth inhibitor may vary in accordance with the active ingredient. Thus, there is an ongoing need to develop further crystal growth inhibitors which overcome the shortcomings of the prior art.

It is therefore a purpose of the present invention to provide a pesticidal composition with a new crystal growth inhibitor.

A further purpose of the present invention is to present the new use of a compound as a crystal growth inhibitor.

Yet a further purpose of the present invention is to provide a method for crystal growth inhibition in pesticidal compositions.

Other objects of the invention will become apparent as the description proceeds.

Summary of the Invention

The present invention provides a method for preventing crystallization of pesticidal compositions during application, comprising adding a lactate ester as a crystallization prevention agent to the composition.

The present invention provides a liquid pesticidal composition comprising one or more pesticide as an active ingredient and a lactate ester as a crystal growth inhibitor.

Detailed Description of the Invention

The following description is illustrative of embodiments of the invention. The following description is not to be construed as limiting, it being understood that the skilled person may carry out many obvious variations to the invention.

Throughout the description, percentages of components are by weight, unless specifically noted differently. Furthermore, throughout the description "pesticide" refers to insecticides, herbicides, fungicides and mixtures thereof. Throughout the specification the term "azole" or "azole fungicide" also means mixtures thereof.

5

It has surprisingly been found that esters of lactic acid (LA) are effective as crystal growth inhibitor in liquid pesticidal compositions. Throughout the description wherein the term lactic acid, lactate esters and esters of lactic acid are used it is meant to include both optical isomers as well as mixtures thereof. Furthermore, it has surprisingly been found
10 that mixtures of lactate esters with rosin gum, or derivatives thereof selected from among a group comprising of rosin gum, rosin esters, modified rosins, hydrogenated rosin esters, polymerized rosin esters and phenolic modified rosin esters or mixtures thereof (hereinafter "Rosin derivatives") prevent the crystallization in the pesticidal composition.

15 Pesticides suitable for the practice of the present invention may be, but are not limited to azole fungicides selected from among a group comprising of epoxiconazole, tebuconazole, cyproconazole, prochloraz, penconazole, defenoconazole, flusilazole, metconazole, triadimenol, hexaconazole, flutriafol, triflumizole, fenbuconazole, bromuconazole, fluquinconazole, azaconazole, triticonazole, triadimefon and
20 imibenconazole; strobilurin analogues, e.g. kresoxim-methyl and pyraclostrobin; maneb, mancozeb, ziram, thiram and mixtures thereof.

According to a particular aspect the present invention there is provided a method for preventing crystallization of pesticidal compositions during application, comprising
25 adding a lactate ester or a mixture of lactate esters as a crystallization prevention agent to the composition. In the present context the term "prevention" of crystallization also encompasses "inhibition" of crystallization. The lactate ester is added to a pesticidal composition so that the lactate ester is 3% to 80% of the total composition, preferably 20% to 60%. According to yet a further embodiment, a lactate ester is added to a
30 pesticidal composition so that the weight ratio between the pesticide and the lactate ester

is from 1:0.2 to 1:5, preferably 1:1 to 1:4. Throughout the description the term lactate ester also encompasses mixtures of lactate esters.

According to yet a further embodiment a mixture of LA ester and a Rosin derivative are added as a crystallization prevention agent. The LA ester is added according to the
5 aforementioned percentages or ratios. A Rosin derivative is added to a pesticidal composition so that the Rosin derivative is 0.5% to 20% of the total pesticidal composition, preferably 1% to 10%. According to a further embodiment a Rosin derivative may be added so that the weight ratio between the Rosin derivative and the
10 pesticide is from 1:0.05 to 1:1, preferably 1:0.1 to 1:0.5.

According to a preferred embodiment of the present invention, the preferred lactate esters for the practice of the invention are lactate acid esters of C₄ to C₁₂ saturated and unsaturated alkyl, C₄ to C₁₂ saturated and unsaturated cyclically, C₄ to C₁₂ saturated and
15 unsaturated branched alkyl lactates and mixtures thereof. Particularly preferable lactate esters are 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof. The preferred Rosin derivative is rosin gum.

In a particular embodiment of the invention a lactate ester is added to a pesticidal
20 composition in order to prevent crystallization during application, wherein the pesticidal composition contains, subsequent to the addition, 3% to 80%, preferably 10% to 50% of a pesticide selected from among a group comprising of tebuconazole, epoxiconazole and prochloraz and 3% to 80%, preferably 20% to 60% lactate ester selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate,
25 heptyl lactate, octyl lactate and mixtures thereof.

In yet a further particular embodiment of the invention a lactate ester and Rosin derivative are added to a pesticidal composition in order to prevent crystallization during application, wherein the pesticidal composition contains, subsequent to the addition, 3%
30 to 80% , preferably 10% to 50% of a pesticide selected from among a group comprising of tebuconazole, epoxiconazole and prochloraz 3% to 80%, preferably 20% to 60%

lactate ester selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof, and 0.5% to 20%, preferably 1% to 10% of a Rosin derivative selected from among a group comprising of rosin gum, rosin esters, modified rosins, hydrogenated rosin esters, polymerized rosin esters and phenolic modified rosin esters.

The present invention further provides a pesticidal composition which does not crystallize during application. Said composition comprising a pesticide or mixture of pesticides as active ingredient and a lactate ester. The composition comprising 3% to 80%, preferably 10% to 50% of a pesticide or mixture of pesticides and 3% to 80%, preferably 20% to 60% lactate ester. According to a further embodiment of the invention a pesticidal composition which does not crystallize during application comprises 3% to 80%, preferably 10% to 50% of a pesticide or mixture of pesticides, 3% to 80%, preferably 20% to 60% lactate ester and 0.5% to 20%, preferably 1% to 10% of a Rosin derivative.

According to a preferred embodiment of the invention, the present compositions comprise 10% to 50% pesticide selected from among a group comprising of tebuconazole, epoxiconazole and prochloraz, 20% to 60% of lactate ester selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof, and 0.5% to 20% of a Rosin derivative selected from among a group comprising of rosin gum, and methyl ester of rosin gum.

Compositions according to the present invention may further contain surfactant agents, thickeners, anti-foaming agents, dispersing agents and wetting agents.

1% to 40% of the present composition may be surfactant agents wherein non-limiting examples of suitable surface-active compounds are nonionic, cationic and/or anionic surfactants having good emulsifying, dispersing and wetting properties. The term "surfactants" will also be understood as comprising mixtures of surfactants.

Suitable anionic surfactants can be both water-soluble soaps and water-soluble synthetic surface-active compounds. Suitable soaps are the alkali metal salts, alkaline earth metal salts or unsubstituted or substituted ammonium salts of higher fatty acids (C_{10} - C_{22}), e.g. the sodium or potassium salts of oleic or stearic acid, or of natural fatty acid mixtures which can be obtained, e.g. from coconut oil or tallow oil. Further suitable surfactants are also the fatty acid methyltaurin salts as well as modified and unmodified phospholipids.

More frequently, however, so-called synthetic surfactants are used, especially fatty sulfonates, fatty sulfates, sulfonated benzimidazole derivatives or alkylarylsulfonates.

10

The fatty sulfonates or sulfates are usually in the form of alkali metal salts, alkali earth metal salts or unsubstituted or substituted ammonium salts and contain a C_8 - C_{22} alkyl radical which also includes the alkyl moiety of acyl radicals, e.g. the sodium or calcium salt of lignosulfonic acid, of dodecylsulfate, or of a mixture of fatty alcohol sulfates obtained from natural fatty acids. These compounds also comprise the salts of sulfuric acid esters and sulfonic acids of fatty alcohol/ethylene oxide adducts. The sulfonated benzimidazole derivatives preferably contain 2 sulfonic acid groups and one fatty acid radical containing 8 to 22 carbon atoms. Examples of alkylarylsulfonates are the sodium, calcium or triethanolamine salts of dodecylbenzenesulfonic acid, dibutyl-naphthalenesulfonic acid, or of a naphthalenesulfonic acid/formaldehyde condensation product. Also suitable are corresponding phosphates, e.g. salts of the phosphoric acid ester of an adduct of p-nonylphenol with 4 to 14 moles of ethylene oxide.

15

20

Non-ionic surfactants are preferably polyglycol ether derivatives of aliphatic or cycloaliphatic alcohols, or saturated or unsaturated fatty acids and alkylphenols, said derivatives containing 3 to 30 glycol ether groups and 8 to 20 carbon atoms in the (aliphatic) hydrocarbon moiety and 6 to 18 carbon atoms in the alkyl moiety of the alkylphenols.

25

30

Further suitable non-ionic surfactants are the water-soluble adducts of polyethylene oxide with polypropylene glycol, ethylenediaminopolypropylene glycol and alkylpolypropylene

glycol containing 1 to 10 carbon atoms in the alkyl chain, which adducts contain 20 to 250 ethylene glycol ether groups and 10 to 100 propylene glycol ether groups. These compounds usually contain 1 to 5 ethylene glycol units per propylene glycol unit.

5 Representative examples of non-ionic surfactants are nonylphenolpolyethoxyethanols, castor oil polyglycol ethers, polypropylene/polyethylene oxide adducts, tributylphenoxypolyethoxyethanol, polyethylene glycol and octylphenoxypolyethoxyethanol. Fatty acid esters of polyoxyethylene sorbitan, e.g. polyoxyethylene sorbitan trioleate, are also suitable non-ionic surfactants.

10

Cationic surfactants are preferably quaternary ammonium salts which contain, as N-substituent, at least one C₈-C₂₂ alkyl radical and, as further substituents, unsubstituted or halogenated lower alkyl, benzyl or hydroxy-lower alkyl radicals. The salts are preferably in the form of halides, methylsulfates or ethylsulfates, e.g. 15 stearyltrimethylammonium chloride or benzyldi (2-chloroethyl) ethylammonium bromide, preferably 1% to 40%.

20

Anti-foaming agents (AF) suitable for use in the present composition are those customarily employed in pesticidal compositions, wherein non-limiting examples of said agents are silicon oils or silicon oil emulsions in water commercially available as, e.g., Dapro DF-1161, wherein 0% to 1% of anti-foaming agent are employed, preferably 0% to 0.2%.

25

According to a particular aspect of the present invention, the compositions of the present invention can be either aqueous or non-aqueous compositions which contain 0% to 50% water. Non-limiting examples of such compositions are: emulsifiable concentrates (EC) and emulsion in water (EW) formulations.

30

ExamplesExample 1: Non-crystallizing formulation of tebuconazole

5	<u>Composition</u>		
	tebuconazole tech.	-	200 kg. (204 kg. as 98%)
	Berol 829 ¹	-	110 kg.
	Emcol 4500 ²	-	50 kg.
	rosin Gum	-	30 kg.
10	Soft water	-	15 kg.
	AF 100% (DF-1161) ³	-	0.1 kg.
	Purasolve EHL(2-ethyl hexyl lactate)	-	up to 1000 liters (about 580 kg.)

¹ Berol 829 – Castor oil ethoxylated 20 ethylene oxide (EO)

15 ² Emcol 4500 – Na dioctyl sulfosuccinate

³ Anti-foaming – Dapro DF-1161 produced by Daniel products company, NJ

Preparation:

20 Charge the Purasolve to the vessel and heat to 50 – 60°C. Add the tebuconazole and rosin gum and mix until homogenous solution is obtained. Cool to ambient temp. and add the Berol, Emcol and AF and mix until homogenous solution is obtained. Add the water, mix for another hour.

Example 2: Comparative preparation without crystallization inhibitors

25	tebuconazole tech.	-	200 kg. (204 kg. as 98%)
	Suprofor 14/ R (ethoxylated castor oil)	-	90 kg.
	Witconol NS 500 LQ (EO/PO block co-polymer)	-	80 kg.
	rosin Gum	-	160 kg.
30	Soft water	-	25 kg.
	AF 100% (DF-1161)	-	0.1 kg.
	NMP (N-Methyl Pyrrolidone)	-	up to 1000 liters

This formulation was found to crystallize during application.

Example 3: Formulation of prochloraz

5	<u>Composition</u>		
	prochloraz tech.	-	450 kg. (464 kg. As 97%)
	Rosin Gum	-	30 kg.
	Berol 829	-	140 kg.
	Emcol 4500	-	60 kg.
10	Purasolve EHL	-	up to 1000 litre (about 410 kg.)

Example 4: Formulation of a mixture of prochloraz and tebuconazole

15	<u>Composition</u>		
	Tebuconazole tech.	-	133 kg (136 kg. as 98%)
	Prochloraz tech.	-	267 kg (281 kg. as 95%)
	Emulan EL ⁴	-	160 kg.
	Emcol 4500	-	40 kg
20	Soft water	-	15 kg.
	AF 100% (DF-1161)	-	0.1 kg.
	Purasolve EHL	-	up to 1000 liters (about 440 kg.)

⁴ Emulan EL – Castor oil ethoxylated

Test of crystal growth inhibition

The formation of crystals in spraying solutions is determined in various conditions in order to assure no crystal formation in various spraying conditions.

10 liters of spraying solutions are prepared using hard water (CIPAC standard water D, 342 ppm) in 3 different concentrations: 0.5, 1, 2 times the recommended spraying

concentration for each formulation. Each sample is placed at 3 different temperatures: 2°C, 15°C and 30°C for 24 hours to allow crystal growth. The solutions are sprayed using a personal spraying machine and using two filters (~8 gr. each): 100 and 50 mesh. After spraying the filters are dried and weighed. A weight difference of the filter before and after spraying of less than 0.05 gr. indicates essentially no crystal growth. Hence, there will not be filter blocking.

While embodiments of the invention have been described by way of illustration, it will be apparent that the invention may be carried out with many modifications, variations and adaptations, without departing from its spirit or exceeding the scope of the claims.

CLAIMS

1. A method for preventing crystallization of pesticidal compositions during application, comprising adding a lactate ester as a crystallization prevention agent to the composition.
- 5 2. A method according to claim 1 wherein the lactic acid ester is selected from among a group comprising of C₄ to C₁₂ saturated and unsaturated alkyl, C₄ to C₁₂ saturated and unsaturated cycloalkyl and C₄ to C₁₂ saturated and unsaturated branched alkyl lactates and mixtures thereof.
- 10 3. A method according to claim 2 wherein the lactate ester is selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof.
- 15 4. A method according to claim 1 wherein the lactate ester is added to a pesticidal composition so that the lactate ester is 3% to 80% of the total composition.
5. A method according to claim 4 wherein the lactate ester is added to a pesticidal composition so that the lactate ester is 20% to 60% of the total composition.
- 20 6. A method according to claim 1 wherein a lactate ester is added to a pesticidal composition so that the weight ratio between the pesticide and the lactate ester is from 1:0.1 to 1:5.
- 25 7. A method according to claim 6 wherein a lactate ester is added to a pesticidal composition so that the weight ratio between the pesticide and the lactate ester is from 1:1 to 1:4.
- 30 8. A method according to any one of claims 1 to 7 wherein a rosin derivative is further added.

9. A method according to claim 8 wherein the rosin derivative is selected from among a group comprising of rosin gum, rosin esters, modified rosins, hydrogenated rosin esters, polymerized rosin esters and phenolic modified rosin esters or mixtures thereof.

5

10. A method according to claim 8 wherein the Rosin derivative is added so that the Rosin derivative is 0.5% to 20% of the total pesticidal composition.

10

11. A method according to claim 10 wherein the Rosin derivative is added so that the Rosin derivative is 1% to 10% of the total pesticidal composition.

12. A method according to claim 8 wherein the Rosin derivative may be added so that the weight ratio between the Rosin derivative and the pesticide is from 1:0.05 to 1:1.

15

13. A method according to claim 12 wherein the Rosin derivative may be added so that the weight ratio between the Rosin derivative and the pesticide is from 1:0.1 to 1:0.5.

20

14. A method according to any one of claims 1 to 13 wherein the pesticidal compositions contains as an active ingredient a pesticide selected from among a group comprising of epoxiconazole, tebuconazole, cyproconazole, prochloraz, penconazole, defenoconazole, flusilazole, metconazole, triadimenol, hexaconazole, flutriafol, triflumizole, fenbuconazole, bromuconazole, fluquinconazole, azaconazole, triticonazole, triadimefon and imibenconazole; strobilurin analogues, maneb, mancozeb, ziram, thiram and mixtures thereof.

25

15. A liquid pesticidal composition comprising one or more pesticide as an active ingredient and a lactate ester as a crystal growth inhibitor.

30

16. A composition according to claim 15 wherein the lactate ester is selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof.
- 5 17. A composition according to claim 15 further comprising a Rosin derivative.
18. A composition according to claim 17 wherein the Rosin derivative is selected from among a group comprising of rosin gum, rosin esters, modified rosins, hydrogenated rosin esters, polymerized rosin esters and phenolic modified rosin esters or mixtures thereof.
- 10
19. A composition according to any of claims 15 and 17 wherein the pesticide is selected from among a group comprising of epoxiconazole, tebuconazole, cyproconazole, prochloraz, penconazole, defenoconazole, flusilazole, metconazole, triadimenol, hexaconazole, flutriafol, triflumizole, fenbuconazole, bromuconazole, fluquinconazole, azaconazole, triticonazole, triadimefon and imibenconazole; strobilurin analogues, maneb, mancozeb, ziram, thiram and mixtures thereof.
- 15
20. A composition according to claim 15 comprising 3% to 80% lactate ester.
- 20
21. A composition according to claim 20 comprising 1% to 10% Rosin derivative.
22. A composition according to claim 15 wherein the weight ratio between the pesticide and the lactate ester is from 1:0.1 to 1:5.
- 25
23. A composition according to claim 17 wherein the weight ratio between the pesticide and the Rosin derivative is from 1:0.05 to 1:1
24. A composition according to claim 17 comprising 1% to 10% Rosin derivative.
- 30

25. A composition according to claim 17 comprising 20% to 60% of a lactate ester selected from among a group comprising of 2-ethyl hexyl lactate, cyclohexyl lactate, 2-methylcyclohexyl lactate, heptyl lactate, octyl lactate and mixtures thereof and 1% to 10 % of rosin gum.

5

26. A method as herein described and exemplified.

27. A composition as herein described and exemplified.

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A01N25/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

PAJ, WPI Data, EPO-Internal, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 00 18227 A (AMERICAN CYANAMID CO) 6 April 2000 (2000-04-06) page 16; example M ---	15, 16, 20, 22, 27
A	WO 93 15605 A (SCHERING AGROCHEMICALS LTD) 19 August 1993 (1993-08-19) page 3, line 25 - page 4, line 16 ---	1-27
A	EP 0 357 559 A (CIBA GEIGY AG) 7 March 1990 (1990-03-07) page 2, line 1 - line 26 page 4, line 8 --- -/--	1, 2

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

18 June 2003

Date of mailing of the international search report

27/06/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Romano-Götsch, R

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WATLING H: "Gibbsite crystallization inhibition - 2. Comparative effects of selected alditols and hydroxycarboxylic acids" HYDROMETALLURGY, ELSEVIER SCIENTIFIC PUBLISHING CY. AMSTERDAM, NL, vol. 55, no. 3, April 2000 (2000-04), pages 289-309, XP004196083 ISSN: 0304-386X the whole document ---	1-27
A	PATENT ABSTRACTS OF JAPAN vol. 014, no. 314 (C-0737), 5 July 1990 (1990-07-05) & JP 02 108602 A (TOHO CHEM IND CO LTD), 20 April 1990 (1990-04-20) abstract -----	1-27

INTERNATIONAL SEARCH REPORT

PCT/IL 03/00222

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0018227	A	06-04-2000	AU 6260199 A	17-04-2000
			BR 9913922 A	23-04-2002
			CA 2345296 A1	06-04-2000
			CN 1320015 T	31-10-2001
			CZ 20011057 A3	15-05-2002
			EP 1130962 A1	12-09-2001
			HU 0103741 A2	28-01-2002
			JP 2002525291 T	13-08-2002
			PL 346870 A1	11-03-2002
			SK 3662001 A3	06-11-2001
			WO 0018227 A1	06-04-2000
			ZA 200102411 A	25-03-2002
WO 9315605	A	19-08-1993	AT 147577 T	15-02-1997
			AU 665615 B2	11-01-1996
			AU 3453893 A	03-09-1993
			BR 9305904 A	21-10-1997
			CN 1075595 A	01-09-1993
			DE 69307502 D1	27-02-1997
			DE 69307502 T2	24-07-1997
			DK 637202 T3	02-06-1997
			WO 9315605 A2	19-08-1993
			EP 0637202 A1	08-02-1995
			ES 2098049 T3	16-04-1997
			GR 3022822 T3	30-06-1997
			IL 104738 A	14-11-1996
			JP 7504404 T	18-05-1995
			MX 9300710 A1	01-09-1993
			NZ 246894 A	27-02-1996
			ZA 9301066 A	29-09-1993
EP 0357559	A	07-03-1990	AT 112933 T	15-11-1994
			AU 627218 B2	20-08-1992
			AU 4100589 A	08-03-1990
			BG 51333 A3	15-04-1993
			BR 8904420 A	17-04-1990
			CA 1337505 A1	07-11-1995
			DE 58908525 D1	24-11-1994
			DK 434489 A	03-03-1990
			EP 0357559 A2	07-03-1990
			ES 2064484 T3	01-02-1995
			HU 50576 A2	28-03-1990
			IE 65971 B1	29-11-1995
			JP 2054512 C	23-05-1996
			JP 2115101 A	27-04-1990
			JP 7084361 B	13-09-1995
			NZ 230515 A	29-01-1991
			PT 91596 A ,B	30-03-1990
			US 5371105 A	06-12-1994
			ZA 8906711 A	30-05-1990
JP 02108602	A	20-04-1990	NONE	